

Publikationen von Mitarbeitern der Abteilung

Spindler, M., Koch, K., Borisov, E., Özyurt, J., Sörös, P., Thiel, C., **Bantel C.** (2018) Front Behav Neurosci. 2018 Aug 3;12:165. doi: 10.3389/fnbeh.2018.00165. The Influence of Chronic Pain and Cognitive Function on Spatial-Numerical Processing.

Knobel A1, Overheu D2, Gruessing M3, Juergensen I3, Struwer J3. BMC Med Educ. 2018 Jun 7;18(1):127. doi: 10.1186/s12909-018-1243-x. Regular, in-situ, team-based training in trauma resuscitation with video debriefing enhances confidence and clinical efficiency.

Baldewig, M., Goldbaum, O., Richter-Landsberg, C., **Weyland, A., Bantel, C.** (2018) J Pain Res.11:1181-1190. doi: 10.2147/JPR.S162322. Short-term incubation of gabapentin or pregabalin does not affect chemically induced injury in neuronal cell models in vitro.

Mimic, A., **Bantel, C.**, Jovicic, J., Mimic, B., Kistic-Tepavcevic, D., Durutovic, O., Ladjecic, N. (2018) J Pain Res.11:955-966. doi: 10.2147/JPR.S152282. Psychological factors as predictors of early postoperative pain after open nephrectomy.

Ward, S., Guest, C., Goodall, I., **Bantel, C.** (2018) J Pain Res. 11:561-570. doi: 10.2147/JPR.S153857. Practice and bias in intraoperative pain management: results of a cross-sectional patient study and a survey of anesthesiologists.

Bantel, C., Tripathi, S. S., Molony, D., Heffernan, T., Oomman, S., Mehta, V., Dickerson, S. (2018) Clin Exp Gastroenterol. 11:57-67. doi: 10.2147/CEG.S143913. Prolonged-release oxycodone/naloxone reduces opioid-induced constipation and improves quality of life in laxative-refractory patients: results of an observational study.

Guest, C., Sobotka, F., Karavasopoulou, A., Ward, S., **Bantel, C.** (2017) J Pain Res. 2017 Mar 1;10:481-493. doi: 10.2147/JPR.S127939. eCollection 2017. Nurses and opioids: results of a bi-national survey on mental models regarding opioid administration in hospitals.

Gerullis, H., Ecke, T.H., Barski, D., **Bantel, C., Weyland, A.**, Uphoff, J., Jansen, T., Wawroschek, F., Winter, A. J Int Med Res. 2017 Apr;45(2):714-722. doi: 10.1177/0300060516684721. Epub 2017 Feb 13. Retrospective analysis of a surgical innovation using the IDEAL framework: radical cystectomy with epidural anaesthesia.

Kemp, H.I., **Bantel, C.**, Gordon, F. Brett, S.J., Laycock, H.C. (2017) Anaesthesia 72(6): 737-748. Pain Assessment in INTensive care (PAINT): an observational study of physician-documented pain assessment in 45 intensive care units in the United Kingdom

Nemeth, M., Jacobsen, N., **Bantel, C.**, Fieler, M., Sümpelmann, R., Eich, C. (2017) Pediatr. Emerg. Care doi: 10.1097/PEC.0000000000001017. [Epub ahead of print]. Intrantranasal Analgesia and Sedation in Pediatric Emergency Care-A Prospective Observational Study on the Implementation of an Institutional Protocol in a Tertiary Children's Hospital.

Sussman, M., Goodier, E., Fabri, I., Borrowman, J., Thomas, S., Guest, C., **Bantel, C.** (2016) British Journal of Pain 2049463716673667, first published on October 11, 2016 as doi:10.1177/2049463716673667 'Clinical benefits, referral practice and cost implications of an in-hospital pain service: results of a service evaluation in a London teaching hospital'

Wickham, A., Highton, D., Martin, D; Pan London Perioperative Audit and Research Network (PLAN) (2016), Perioper Med (Lond). 2016 May 27;5:12. doi: 10.1186/s13741-016-0036-1. 'Care of elderly patients: a prospective audit of the prevalence of hypotension and the use of BIS intraoperatively in 25 hospitals in London'

Shah, S., Ho, A. C., Kuehler, B. M., Childs, S. R., Towler, G., Goodall, I. D., **Bantel, C.**, (2015) Journal of Pain Research 8: 477 - 486 doi.org/10.2147/JPR.S80829. 'Different measures, different outcomes? Survey into the effectiveness of chronic pain clinics in a London tertiary referral center.

Publikationen Prof. Dr. Andreas Weyland

Weitzel M, Hammels P, Schorer C, Klingler H, **Weyland A**. Anaesthesist. 2018 Aug 21. doi: 10.1007/s00101-018-0472-z. Hemodynamic effects of cafedrine/theodrenaline on anesthesia-induced hypotension.

Elke G, Bloos F, Wilson DC, Brunkhorst FM, Briegel J, Reinhart K, Loeffler M, Kluge S, Nierhaus A, Jaschinski U, Moerer O, **Weyland A**, Meybohm P; SepNet Critical Care Trials Group. Crit Care. 2018 Mar 21;22(1):79. doi: 10.1186/s13054-018-2001-5. The use of mid-regional proadrenomedullin to identify disease severity and treatment response to sepsis - a secondary analysis of a large randomised controlled trial.

Bloos F, Rüdgel H, Thomas-Rüdgel D, Schwarzkopf D, Pausch C, Harbarth S, Schreiber T, Gründling M, Marshall J, Simon P, Levy MM, Weiss M, **Weyland A**, Gerlach H, Schürholz T, Engel C, Matthäus-Krämer C, Scheer C, Bach F, Riessen R, Poidinger B, Dey K, Weiler N, Meier-Hellmann A, Häberle HH, Wöbker G, Kaisers UX, Reinhart K; MEDUSA study group. Intensive Care Med. 2017 Nov;43(11):1602-1612. doi: 10.1007/s00134-017-4782-4. Effect of a multifaceted educational intervention for anti-infectious measures on sepsis mortality: a cluster randomized trial.

Friesecke S, Träger K, Schitteck GA, Molnar Z, Bach F, Kogelmann K, Bogdanski R, **Weyland A**, Nierhaus A, Nestler F, Olboeter D, Tomescu D, Jacob D, Haake H, Grigoryev E, Nitsch M, Baumann A, Quintel M, Schott M, Kielstein JT, Meier-Hellmann A, Born F, Schumacher U, Singer M, Kellum J, Brunkhorst FM. Med Klin Intensivmed Notfmed. 2017 Sep 4. doi: 10.1007/s00063-017-0342-5. International registry on the use of the CytoSorb® adsorber in ICU patients: Study protocol and preliminary results.

Mashhour A, Easo J, Horst M, **Weyland A**, Zundel J, Eichstaedt HC, Book M, Dohmen PM, Weymann A. Artif Organs. 2017 Jul; 41(7):688-689. doi: 10.1111/aor.12935. Extracorporeal Lung Support in Acute Chest Syndrome Associated With Sickle Cell Disease: A Rare Report of a Common Case.

Argon does not affect cerebral circulation or metabolism in male humans. Grüne F, Kazmaier S, Hoeks SE, Stolker RJ, Coburn M, **Weyland A**. PLoS One. 2017 Feb 16;12(2):e0171962. doi: 10.1371/journal.pone.0171962. eCollection 2017.

Hinz J, Mansur A, Hanekop GG, **Weyland A**, Popov AF, Schmitto JD, Grüne F, Bauer M, Kazmaier S (2016): Influence of isoflurane on the instantaneous diastolic pressure-flow relationship and coronary critical occlusion pressure during arterial CABG surgery. PLOS ONE (i.Dr.)

Grüne F, Kazmaier S, Stolker RJ, Visser G, **Weyland A** (2015): Carbon dioxide induced changes in cerebral blood flow and flow velocity: role of cerebrovascular resistance and effective cerebral perfusion pressure. J Cereb Blood Flow Metab 35; 1470-1477

Thomas-Rueddel DO, Poidinger B, Weiss M, Bach F, Dey K, Häberle H, Kaisers U, Rüdgel H, Schädler D, Scheer C, Schreiber T, Schürholz T, Simon P, Sommerer A, Schwarzkopf D, **Weyland A**, Wöbker G, Reinhart K, Bloos F; Medical Education for Sepsis Source Control and Antibiotics study group (2014) : Hyperlactatemia is an independent predictor of mortality and denotes distinct subtypes of severe sepsis and septic shock. J Crit Care 30, 439.e1-6

Jelschen F, Zundel J, **Weyland A** (2014) : Hämodynamik während nicht-invasiver Wiedererwärmung bei schwerer akzidenteller Hypothermie. *Anästhesiologie, Intensivmedizin, Notfallmedizin, Schmerztherapie* 49 ; 514-519

Bloos F, Thomas-Rüddel D, Rüddel H, Engel C, Schwarzkopf D, Marshall JC, Harbarth S, Simon P, Riessen R, Keh D, Dey K, Weiß M, Toussaint S, Schädler D, **Weyland A**, Ragaller M, Schwarzkopf K, Eiche J, Kuhnle G, Hoyer H, Hartog C, Kaisers U, Reinhart K. (2014) : Impact of compliance with infection management guidelines on outcome in patients with severe sepsis: a prospective observational multi-center study. *Crit Care* 18, R42.

Grüne F, Kazmaier S, Sonntag H, Stolker RJ, **Weyland A** (2014): Moderate hyperventilation during intravenous anesthesia increases net cerebral lactate efflux. *Anesthesiology* 120, 335–342

Hinz J, Molder JM, Hanekop GG, **Weyland A**, Popov A, Bauer M, Kazmaier S (2013) : Reduced sevoflurane loss during cardiopulmonary bypass when using a polymethylpentane versus a polypropylene oxygenator. *Int J Artif Organs*, 36, 233–239

Pearse RM, Moreno RP, Bauer P, Pelosi P, Metnitz P, Spies C, Vallet B, Vincent JL, Hoeft A, Rhodes A, for the European Surgical Outcomes Study (EuSOS) group for the Trials groups of the European Society of Intensive Care Medicine and the European Society of Anaesthesiology (2012) : Mortality after surgery in Europe: a 7 day cohort study. *Lancet* 380, 1059–1065

Brunkhorst FM, Oppert M, Marx G, Bloos F, Ludwig K, Putensen C, Nierhaus A, Jaschinski U, Meier-Hellmann A, **Weyland A**, et al. (2012) : Effect of empirical treatment with moxifloxacin and meropenem vs meropenem on sepsis-related organ dysfunction in patients with severe sepsis : a randomized trial. *JAMA* 307, 2390-2399

Molnar Z, Umgelter A, Toth I, Livingstone D, **Weyland A**, Sakka SG, Meier-Hellmann A (2007): Continuous monitoring of ScvO₂ by a new fiberoptic technology as compared to blood gas oximetry in critically ill patients. A multicentre study. *Intensive Care Med* 30, 1767-1770

Rex S, Scholz M, **Weyland A**, Busch T, Schorn B, Buhre W (2006): Intra- and extravascular volume status in patients undergoing mitral valve replacement. Crystalloid vs. colloid priming of cardiopulmonary bypass. *Eur J Anaesthesiol* 23, 1-9

Kazmaier S, Hanekop GG, Grossmann M, Dörge H, Götze K, Schöndube F, Quintel M, **Weyland A** (2006): Instantaneous diastolic pressure-flow relationship in arterial coronary bypass grafts. *Eur J Anaesthesiol* 23, 373-379

Schachtrupp A, Wrigge H, Busch T, Buhre W, **Weyland A** (2005): Influence of intra-aortic balloon pumping on cerebral blood flow pattern in patients after cardiac surgery. *Eur J Anaesthesiol* 22, 165-170

Mielck F, Ziarkowski A, Hanekop G, Armstrong VW, Hilgers R, **Weyland A**, Quintel M, Sonntag H (2005): Cerebral inflammatory response during and after cardiac surgery. *Eur J Anaesthesiol* 22, 347-352

Buhre W, Heinzel FR Grund S, Sonntag H, **Weyland A** (2003): Extrapolation to zero-flow pressure in cerebral arteries to estimate intracranial pressure. *Br J Anaesth* 90, 291-295

Braun U, Zerbst M, Füllekrug B, Gentzel I, Hempel V, Leier M, Peters T, Hobbensiefken G, Klein U, Heuser D, **Weyland A**, Rey D, Weirich C, Krier C (2002): Ein Vergleich der Larynxmaske (LM) vom Typ "Proseal" gegen die Standard-LM bei anästhesierten, nicht relaxierten Patienten – Ergebnisse einer deutschen Multicenterstudie. *Anesthesiol Intensivmed Notfallmed Schmerzther* 12, 727-733

Thees C, Scholz M, Schaller C, Gass A, Pavlidis C, **Weyland A**, Hoeft A (2002): Relationship between intracranial pressure and critical closing pressure in patients with neurotrauma. *Anesthesiology* 96, 595-599

Buhre W, Buhre K, Kazmaier S, Sonntag H, **Weyland A** (2001): Assessment of cardiac preload by indicator dilution and transoesophageal echocardiography. *Eur J Anaesthesiol* 18, 662-667

Mielck F, Wietasch G, **Weyland A**, Buhre W, Meier-Theile C, Hoeft A, Sonntag H (2001): Reliability of cerebral blood flow measurements by transcerebral double-indicator dilution technique. *Eur J Anaesthesiol* 18, 653-661

Grüne F, Buhre W, Kazmaier S, Weyland W, Rieke H, **Weyland A** (2001): Zusammenhang zwischen globaler Hirndurchblutung und zerebraler Blutflußgeschwindigkeit: Einfluß von Halothan und zerebraler CO₂-Reaktivität. *Anesthesiol Intensivmed Notfallmed Schmerzther* 36, 538-544

Buhre W, Kazmaier S, Sonntag H, **Weyland A** (2001): Changes in cardiac output and intrathoracic blood volume: a mathematical coupling of data? *Acta Anaesthesiol Scand* 45, 863-867

Kazmaier S, Hanekop GG, Buhre W, **Weyland A**, Busch T, Radke OC, Zoelffel R, Sonntag H (2000): Myocardial consequences of remifentanyl in patients with coronary artery disease. *Br J Anaesth* 84, 578-583

Aleksic I, Buhre W, Baryalaei M, Reitmeier F, Tirilomis T, **Weyland A**, Dalichau H (2000): Hemodynamic changes during minimally invasive coronary artery bypass (MIDCAB) surgery using high-dose esmolol. *Cardiovasc Surg* 8, 204-207

Buhre W, **Weyland A**, Heinzel F, Kazmaier S, Ludwig H, Sonntag H (2000): Der intrakranielle Druck repräsentiert den effektiven stromabwärtsgerichteten Druck der zerebralen Zirkulation bei Patienten mit intrakranieller Hypertension. *Anesthesiol Intensivmed* 41, 815-816 (Wissenschaftliche Kurzmitteilung)

Weyland A, Buhre W, Grund S, Ludwig H, Kazmaier S, Weyland W, Sonntag H (2000): Cerebrovascular tone rather than intracranial pressure determines the effective downstream pressure of the cerebral circulation in the absence of intracranial hypertension. *J Neurosurg Anesthesiol* 12, 210-216

Buhre W, Buhre K, Aleksic I, Zenker D, Sonntag H, **Weyland A** (2000): Doppler-sonographic evidence of cerebral microembolism originating from a biventricular assist device. *Thorac Cardiovasc Surg* 48, 300-302

Buhre W, **Weyland A**, Buhre K, Kazmaier S, Schmidt M, Mursch K, Sydow M, Sonntag H (2000): Effects of the sitting position on the distribution of blood volume in patients undergoing neurosurgical procedures. *Br J Anaesth* 84, 354-357

Rieke H, Kazmaier S, Lange H, **Weyland A**, Sonntag H (1999): Does method of anesthesia modify postoperative ischemia incidence? A study of patients after aortocoronary bypass operations. *Anaesthesiol Reanim* 24, 120-129

Kazmaier S, **Weyland A**, Buhre W, Busch T, Sonntag H (1999): Hämodynamische Effekte verschiedener Dosierungen des Phosphodiesterase-III-Hemmers R80122. *Z Herz- Thorax- und Gefäßchir* 13 Suppl. 1, 11-17

Mielck F, Stephan H, **Weyland A**, Sonntag H (1999): Effects of one minimum alveolar anesthetic concentration sevoflurane on cerebral metabolism, blood flow, and CO₂ reactivity in cardiac patients. *Anesth Analg* 89, 364-369

Buhre W, **Weyland A**, Kazmaier S, Hanekop GG, Baryalai MM, Sydow M, Sonntag H (1999): Comparison of cardiac output assessed by pulse contour analysis and thermodilution in patients undergoing minimally invasive direct coronary artery bypass grafting. *J Cardiothorac Vasc Anesth* 13, 437-441

Aleksic I, Baryalai MM, Schorn B, Busch T, Strauch J, **Weyland A**, Dalichau H (1998): Heart transplantation after successful donor postpartum pulmonary embolectomy. *Chest* 115, 1202-1203

Mielck F, Stephan H, Buhre W, **Weyland A**, Sonntag H (1998): Effects of 1 MAC desflurane on cerebral metabolism, blood flow and carbon dioxide reactivity in humans. *Br J Anaesth* 81, 155-160

Kazmaier S, **Weyland A**, Buhre W, Stephan H, Filoda K, Sonntag H (1998): Effects of respiratory alkalosis and acidosis on myocardial blood flow and metabolism in patients with coronary artery disease. *Anesthesiology* 89, 831-837

Buhre W, **Weyland A**, Schorn B, Scholz M, Kazmaier S, Hoeft A, Sonntag H (1999): Changes in central venous pressure and pulmonary capillary wedge pressure do not indicate changes in right and left heart volume in patients undergoing coronary artery bypass surgery. *Eur J Anaesthesiol* 16, 11-17

Buhre W, **Weyland A**, Grund S, Ludwig HC, Sonntag H (1998): Untersuchungen über den Einfluß des zerebralen Vasomotorentonus auf den stromabwärts gerichteten Druck der zerebralen Zirkulation. *Anaesthesist* 47, 877-878 (Wissenschaftliche Kurzmitteilung)

Buhre W, **Weyland A**, Bendyk K, Kazmaier S, Schmidt M, Mursch K, Sonntag H (1998): Intrathoracic blood volume: Thermo-dye dilution technique versus single-thermodilution technique. *Anaesthesist* 47, 51-53

Buhre W, **Weyland A**, Grüne F, van der Velde J, Kazmaier S, Sonntag H (1998): Influence of arterial carbon dioxide tension on systemic vascular resistance in patients undergoing hypothermic CPB. *Acta Anaesthesiol Scand* 42, 167-171

Mielck F, Stephan H, Buhre W, **Weyland A**, (1997): Der Einfluß von Desfluran auf den zerebralen Stoffwechsel, die Hirndurchblutung und die CO₂-Reaktivität. *Anaesthesist* 46, 1093-1094 (Wissenschaftliche Kurzmitteilung)

Buhre W, Hoeft A, Schorn B, **Weyland A**, Scholz M, Sonntag H (1997): Acute effects of mitral valve replacement on extravascular lung water in patients receiving colloid or crystalloid priming of cardio-pulmonary bypass. *Br J Anaesth* 79, 311-316

Zielmann S, Kazmaier S, Schnüll S, **Weyland A** (1997): S-(+)-Ketamin und Kreislauf. Anaesthesist 46 (Suppl. 1) 43-46

Buchhorn R, Bartmus D, **Weyland A**, Buhre W, Ruschewski W (1997): Zur Pathogenese der Stauungssymptomatik nach Fontanscher Operation. Z Kardiol 86, 26-34

Bendyk K, **Weyland A**, Zenker D (1996): Intraoperativer Nachweis eines akuten embolischen Aortenverschlusses. Anaesthesist 45, 1089-1092

Weyland A, Grüne F, Buhre W, Kazmaier S, Stephan H, Sonntag H (1996): Einfluß von Nitroglyzerin auf Hirndurchblutung, zerebrovaskuläre CO₂-Reaktivität und Blutflußgeschwindigkeit in basalen Hirnarterien. Anaesthesist 45, 1037-1044

Braun U, Weyland A, Bartmus D, Ruschewski W, Rath W (1996): Anaesthesiologische Aspekte der Schwangerschaft und Entbindung nach Korrektur zyanotischer Herzvitien. Fallbericht einer Entbindung nach Fontan-Korrektur. Anaesthesist 45, 545-549

Weyland A, Meinke J, von Spiegel T, Scholz M, Stephan H, Sonntag H (1995): Autoregulationsmechanismen und kritischer Verschlußdruck der zerebralen Zirkulation bei Herzstillstand durch induziertes Kammerflimmern. Anaesthesist 44, 893-894 (Wissenschaftliche Kurzmitteilung)

Mohr F W, Falk V, Autschbach R, Diegeler A, Schorn B, **Weyland A**, Vettelschoß M, Frank B, Gummert J, Dalichau H (1995): One stage surgery of the coronary arteries and the abdominal aorta in patients with impaired left ventricular function. Circulation 91, 379-385

Weyland W, Schuhmann M, Rathgeber J, **Weyland A**, Fritz U, Laier-Gronefeld G, Schorn B, Braun U (1995): Oxygen cost of breathing for assisted spontaneous breathing modes: Investigations into three states of pulmonary function. Intensive Care Med 21, 211-217

Weyland A, Buhre W, Wietasch G, Hoeft A, Cuhls H, Ruschewski W, Sonntag H (1995): Clinical value of aortic thermodilution monitoring of cardiac output in a small child after surgical correction of tetralogy of Fallot. J Cardiothorac Vasc Anesth 9, 435-437

Weyland A, Stephan H, Grüne F, Weyland W, Sonntag H (1995): Effect of ketanserin on cerebral blood flow and middle cerebral artery flow velocity. Anesth Analg 80, 64-70

Weyland A, Wietasch G, Hoeft A, Buhre W, Allgeier B, Weyland W, Kettler D (1995): Einfluß eines intrakardialen Links-Rechts-Shunts auf pulmonal-arterielle Thermodilutionsmessungen des Herzzeitvolumens. Untersuchungen in einem extrakorporalen Kreislaufmodell. Anaesthesist 44, 13-23

Weyland W, **Weyland A**, Hellige G, Fritz U, Neumann H, Martens S, Crozier TA, Braun U (1994): Efficiency of a new radiant heater for postoperative rewarming. Acta Anaesthesiol Scand 38, 601-606

Weyland W, **Weyland A**, Gefeller O, Al-Soufi S, Sydow M, Braun U (1994): A ventilator with an integrated gas exchange monitoring function. Crit Care Med 22, 864-871

Hoeft A, Schorn B, **Weyland A**, Scholz M, Buhre W, Stepanek E, Allen S J, Sonntag H (1994): Bedside assessment of intravascular volume status in patients undergoing coronary bypass surgery. Anesthesiology 81, 76-86

Weyland W, **Weyland A**, Fritz U, Redecker K, Ensink B, Braun U (1994): A new paediatric gas exchange monitor. *Intensive Care Med* 20, 51-57

Weyland A, **Weyland W**, Sydow M: Reversed Fick principle versus indirect calorimetry (1994): Do systematic differences between methods represent intrapulmonary oxygen consumption? *Intensive Care Med* 20, 457-458 (Letter)

Weyland A, Stephan H, Kazmaier S, Weyland W, Schorn B, Grüne F, Sonntag H (1994): Flow velocity measurements as an index of cerebral blood flow: Validity of transcranial Doppler sonographic monitoring during cardiac surgery. *Anesthesiology* 81, 1401-1410

Weyland A, Buhre W, Hoeft A, Wietasch G, Ruschewski W, Allgeier B, Schorn B, Sonntag H (1994): Application of a transpulmonary double indicator dilution method for postoperative assessment of cardiac index, pulmonary vascular resistance index, and extravascular lung water in children undergoing total cavo-pulmonary anastomosis. *J Cardiothorac Vasc Anesth* 8, 636-641

Weyland A, Weyland W, Sydow M, Weyland C, Kettler D (1994): Inverses Ficksches Prinzip im Vergleich zu Messungen der Sauerstoffaufnahme aus respiratorischen Gasen: Sind systematische Methodendifferenzen Ausdruck eines erhöhten intrapulmonalen Sauerstoffverbrauchs? *Anaesthesist* 43, 658-666

Weyland W, Bräuer A, **Weyland A**, Janitzki A S, Fritz U, Braun U (1993): Der Einfluß von Sedierung auf die Sauerstoffaufnahme unter Spontanatmung. *Anaesthesist* 42, 391-395

Weyland W, Crozier TA, Bräuer A, Georgius P, **Weyland A**, Neufang T, Braun U (1993): Anästhesiologische Besonderheiten der operativen Phase bei laparoskopischen Operationen. *Z Chir* 118, 582-587

Weyland A, Weyland W, Lamersdorf A, Ensink F -B, Hildebrandt J, Kettler D (1993): Neurolytische Blockaden des lumbalen Grenzstrangs in fortgeschrittenen Stadien der peripheren arteriellen Verschlusskrankheit. *Anesthesiol Intensivmed Notfallmed Schmerzther* 28, 420-426

Weyland A, Weyland W, Carduck H -P, Hildebrandt J, Kettler D (1993): Optimierung der Bildverstärker-gesteuerten Technik lumbaler Sympathikusblockaden: Computertomographische Simulation eines paravertebralen Punktionszugangs. *Anaesthesist* 42, 710-718

Weyland A, Stephan H, Grüne F, Sonntag H (1993): Einfluß von Ketanserin auf die Validität einer zerebralen Perfusionsüberwachung mittels transkranieller Doppler-Sonographie. *Anaesthesist* 42, 881-882 (Wissenschaftliche Kurzmitteilung)

Weyland A, Buhre W, Weyland W, Wietasch G, Allgeier B, Schorn B, Stephan H, Sonntag H (1993): Validierung und Vergleich verschiedener Thermodilutionscomputer zur HZV-Messung in einem extrakorporalen Flußmodell. *Z Herz- Thorax- und Gefäßchir* 7, 133-139

Stephan H, **Weyland A**, Blankemeyer E, Sonntag H (1992): Zerebrale Effekte von Ketanserin. Der Einfluß auf die Hämodynamik und den Hirnstoffwechsel. *Anaesthesist* 41, 625-630

Schorn B, Hoeft A, **Weyland A**, Buhre W, Stepanek E, Scholz M, Dalichau H (1992): Perioperatives Verhalten des extravaskulären Lungenwassers nach Mitralklappenersatz. *Z Herz Thorax Gefäßchir* 6, 251-256

Stephan H, **Weyland A**, Kazmaier S, Henze T, Menck S, Sonntag H (1992): Acid-base management during hypothermic cardiopulmonary bypass does not affect cerebral metabolism but does affect blood flow and neurological outcome. Br J Anaesth 69, 51-57

Weyland W, van der Horst J, **Weyland A**, Reiter M, Freiboth K, Braun U (1992): Validierung der Gasaustausch Monitoringfunktion des Engström-Elvira-Beatmungsgeräts. Anaesthesist 41, 210-217

Ensink FBM, Hanekop GG, Bautz M, **Weyland A**, Teichmann AE, Hildebrandt J (1991): GR 43.175 (Sumatriptan) zur Behandlung akuter Migräneattacken. I. Zwischenanalyse der Ergebnisse einer internationalen Multizenterstudie mit subkutaner Applikation. Nervenheilkunde 10, 202-206

Mündemann A, Stephan H, **Weyland A**, Wellhausen A, Sonntag H (1991): Einfluß des Säure-Basenmanagements auf die Sauerstoffaufnahme des menschlichen Körpers während hypothermer extrakorporaler Zirkulation. Anaesthesist 40, 530-536

Crozier T, Radke J, **Weyland A**, Sydow M, Seyde W, Markakis E, Kettler D (1991): Hemodynamic and endocrine effects of deliberate hypotension with magnesiumsulfate for cerebral aneurysm surgery. Eur J Anaesthesiol 8, 115-121

Stephan H, Gröger P, **Weyland A**, Hoeft A, Sonntag H (1991): Wirkung von Sufentanil auf Hirndurchblutung, Hirnstoffwechsel und die CO₂-Reaktivität der menschlichen Hirngefäße. Anaesthesist 40, 530-536

Weyland A, Stephan H, Kazmaier S, Grüne F, Sonntag H (1991): Ermöglicht die transcranielle Doppler-Sonographie quantitative Aussagen über die Hirndurchblutung während kardiochirurgischer Eingriffe? Anaesthesist 40, 566-567 (Wissenschaftliche Kurzmitteilung)

Rieke H, **Weyland A**, Hoeft A, Weyland W, Sonntag H, Breme S (1990): Kontinuierliche HZV-Messung nach dem Fickschen Prinzip in der Kardioanaesthesie Anaesthesist 39, 13-21

Weyland A, Hanekop G, Ensink B, Hildebrandt J (1989): Thermographic evidence for demarcation of the sympatholytic effect following intravenous regional guanethidine block (IVRGB). Anesthesiology 71, 171-172 (Wissenschaftliche Kurzmitteilung)

Bautz M, Pflingsten M, Weber M, **Weyland A**, Ensink B, Hildebrandt J (1989): Ein Patienten-Dokumentationssystem für Schmerzkliniken und Schmerzambulanzen auf Basis vernetzter Personal-Computer. Schmerz 3, 140-145

Hildebrandt J, Klar R, **Weyland A**, Wieding J U (1987): A computerized information system for a pain clinic. Methods of Information in Medicine 2, 97-101

Hildebrandt J, **Weyland A** (1987): Die percutane lumbale Facettdenervation: Indikation und Bedeutung bei chronischen Rückenschmerzen. Z Orthop 125, 154-159